

Neue Publikationen zur Moosflora Mitteleuropas, Sechste Folge

STEFAN GEY & J. PETER GRUBER

Die Literaturzusammenstellung berücksichtigt überwiegend Publikationen aus dem Jahr 2022, sowie Nachträge aus dem Jahr 2021 und beinhaltet hauptsächlich Fachbücher und Fachartikel zu Studien und Fundberichten über Moose in Mitteleuropa. Sie erhebt dabei keinen Anspruch auf Vollständigkeit. Zusätzlich sind außereuropäische Arbeiten aufgelistet, die aufgrund der behandelten Arten oder Methoden von Interesse sind. Für aktuelle Veröffentlichungen mit Fokus auf Taxonomie und Systematik sei auf den Beitrag „Taxonomische und nomenklatorische Neuerungen – Moose, von Markus K. Meier in diesem Herzogiella-Heft verwiesen. Für Hinweise auf entsprechende Publikationen für kommende Folge dieser Serie sind wir dankbar.

Bücher & Buchkapitel

- HUGONNOT, V., PÉPIN, F. & CELLE, J. 2022. Mousses et hépatiques de France. 3e édition enrichie. – Biotope Éditions. 328 p. ISBN: 9782366622935.
- LUNIĆ, T., Božić, B. & NEDELJKOVIĆ, B. B. 2023. Immunomodulatory Potential of *Hedwigia ciliata* and *Hypnum cupressiforme*. In: Murthy, H.N. (eds) Bioactive Compounds in Bryophytes and Pteridophytes. Reference Series in Phytochemistry. – Springer, Cham. [10.1007/978-3-030-97415-2_5-1](https://doi.org/10.1007/978-3-030-97415-2_5-1).
- DAS, K., KITYANIA, S., NATH, R., DAS, S., NATH, D. & TALUKDAR, A. D. 2022. Bioactive Compounds from Bryophytes. In: MURTHY, H. N. (eds) Bioactive Compounds in Bryophytes and Pteridophytes. Reference Series in Phytochemistry. – Springer, Cham. [10.1007/978-3-030-97415-2_2-1](https://doi.org/10.1007/978-3-030-97415-2_2-1).
- PATON, J. A. 2022. A Supplement to the Liverwort Flora of the British Isles. – British Bryological Society. 62 pp. ISBN: 9781399908580.
- PIHLAJA, K., HUTTUNEN, S., ULVINEN, T. & HE, X. 2023. Bryophytes - Anthocerophyta, Bryophyta, Marchantiophyta. In: The FinBIF checklist of Finnish species 2022. – Finnish Biodiversity Information Facility, Finnish Museum of Natural History, University of Helsinki.
- PRICE, D. & BEALEY, C. 2022. A Field Guide to Bryophytes. – The Species Recovery Trust. 104 p. ISBN: 9781999873226.

Artikel

- ATWOOD, J. J., BUCK, W. R. & BRINDA, J. C. 2022. Recent literature on bryophytes. – The Bryologist **125**(4): 626–648. [10.1639/0007-2745-125.4.626](https://doi.org/10.1639/0007-2745-125.4.626).
- BAKALIN, V., VILNET, A., MAMONTOV, Y., SCHAEFER-VERWIMP, A., MALTSEVA, Y., KLIMOVA, K., NGUYEN, S. & CHOI, S. 2022. Stolonicaulon: A Section-Puzzle within *Marsupella* (Gymnomitriaceae, Marchantiophyta). – Plants **11**(12): 1596. [10.3390/plants11121596](https://doi.org/10.3390/plants11121596).
- BATAN, N., VILNET, A., ABAY, G., ERATA, H. & ÖZDEMİR, T. 2022. The first record of *Scapania cuspiduligera* (Marchantiophyta: Scapaniaceae) in Turkish and Southwest Asia liverwort flora supported from molecular data. – Nova Hedwigia **114**(3–4): 365–374. [10.1127/nova_hedwigia/2022/0689](https://doi.org/10.1127/nova_hedwigia/2022/0689).
- BAUMANN, M. 2022. Systematische Erfassung der Moosflora als Grundlage für ein Monitoring in der Naturwaldzelle Zweibach und in bewirtschafteten Referenzflächen im Erzgebirge (Sachsen). – Herzogia **35**(2): 395–419. [10.13158/heia.35.2.2022.395](https://doi.org/10.13158/heia.35.2.2022.395).
- BAUMANN, M., DITTRICH, S. & VON OHEIMB, G. 2022. Recolonization of epiphytic bryophytes after decades of air pollution in forest ecosystems in the Erzgebirge (Ore Mountains) shows the importance of deciduous trees for the diversity of this species group. – Forest Ecology and Management **509**: 120082. [10.1016/j.foreco.2022.120082](https://doi.org/10.1016/j.foreco.2022.120082).
- BAUMANN, M., DITTRICH, S. & VON OHEIMB, G. 2023. Die Rückkehr der Epiphyten in Waldökosysteme im Erzgebirge. – AFZ DerWald **2023**(2): 38–42.
- BENEK, A., CANLI, K. & ALTINER, E. M. 2022. Traditional Medicinal Uses of Mosses. – Anatolian Bryology **8**(1): 57–65. [10.26672/anatolianbryology.1061190](https://doi.org/10.26672/anatolianbryology.1061190).
- BERGAMINI, A., BISANG, I., GEY, S., KIEBACHER, T., LIENHARD, L., SCHNYDER, N., STIX, S. & URMI, E. 2022. Beiträge zur bryofloristischen Erforschung der Schweiz – Folge 17. – Meylania **69**: 5–14.

- BISANG, I. & HEDENÄS, L. 2022. Agricultural management, bedrock, and vulnerability of sexual reproduction to climate change affect the occurrence of a European near-endemic moss. – *Bryophyte Diversity and Evolution* **45**. [10.11646/bde.45.1.11](https://doi.org/10.11646/bde.45.1.11).
- BOQUETE, M. T., VARELA, Z., FERNÁNDEZ, J. A., CALLEJA, J. A., BRANQUINHO, C., CHILÀ, A., CRONBERG, N., CRUZ DE CARVALHO, R., ALEIXO, C., ESTÉBANEZ PÉREZ, B., FERNÁNDEZ GONZÁLEZ, V., BASELGA, A., GÓMEZ-RODRÍGUEZ, C., GONZALES MANCEBO, J. M., LEBLOND, S., MARTINEZ-ABAIGAR, J., MEDINA, N. G., NÚÑEZ-OLIVERA, E., PATIÑO, J., RUETUERO, R., VÁSZQUES-ARIAS, A., VANDERPORTEN, A., ZECHMEISTER, H. G. & ABOAL, J. R. 2022. Current and historical factors drive variation of reproductive traits in unisexual mosses in Europe: A case study. – *Journal of Systematics and Evolution* **00**: 1–14. [10.1111/jse.12897](https://doi.org/10.1111/jse.12897).
- BOURGOIN, M., VALERIA, O. & FENTON, N. J. 2022. Predictive mapping of bryophyte diversity associated with mature forests using LiDAR-derived indices in a strongly managed landscape. – *Ecological Indicators* **136**(2022): 108585. [10.1016/j.ecolind.2022.108585](https://doi.org/10.1016/j.ecolind.2022.108585).
- BRIGINSHAW, L. N., FLORES-SANDOVAL, E., DIERSCHKE, T., ALVAREZ, J. P. & BOWMAN, J. L. 2022. KANADI promotes thallus differentiation and FR-induced gametangiophore formation in the liverwort *Marchantia*. – *New Phytologist*: **234**(4): 1377–1393. [10.1111/nph.18046](https://doi.org/10.1111/nph.18046).
- CACCIATORI, C., CZEREPOK, J. & LECH, P. 2022. Long-term changes in bryophyte diversity of central European managed forests depending on site environmental features. – *Biodiversity and Conservation* **31**: 2657–2681. [10.1007/s10531-022-02449-y](https://doi.org/10.1007/s10531-022-02449-y).
- CALLAGHAN, D. A. 2022. Five things that could be done when surveying bryophyte populations of conservation concern. – *Field Bryology* **128**: 12–15.
- CALLAGHAN, D. A. 2022. Population status and ecology of the liverwort *Biantheridion undulifolium* (Nees Konstant. & Vilnet in England and Wales. – *Journal of Bryology* **44**(1): 70–79. [10.1080/03736687.2022.2045423](https://doi.org/10.1080/03736687.2022.2045423).
- CALLAGHAN, D. A. 2022. Population status and ecology of the narrow endemic moss *Thamnobryum cataractarum* N.G.Hodgetts & Blockeel in England. – *Journal of Bryology* **44**(1): 80–85. [10.1080/03736687.2022.2047547](https://doi.org/10.1080/03736687.2022.2047547).
- CALLAGHAN, D. A., ALEFFI, M., ALEGRO, A., BISANG, I., BLOCKEEL, T. L., COLLART, F., DRAGIĆEVIC, S., DRAPER, I., ERDAĞ, A., ERZBERGER, P., GARCIA, C. A., GARILLETI, R., HUGONNOT, V., LARA, L., NATCHEVA, R., NÉMETH, C., PAPP, B., SABOVLJEVIĆ, M., SÉRGIO, C., SIM-SIM, M. & VANDERPOORTEN, A. 2022. Global geographical range and population size of the habitat specialist *Codonoblepharon forsteri* (Dicks.) Goffinet in a changing climate. – *Journal of Bryology* **44**(1): 35–50. [10.1080/03736687.2022.2032541](https://doi.org/10.1080/03736687.2022.2032541).
- CALLAGHAN, D. A. & BRINDA, J. C. 2022. Typification of *Sphagnum balticum* (Russow) C.E.O.Jensen. – *Journal of Bryology* **44**(2): 149–155. [10.1080/03736687.2022.2047546](https://doi.org/10.1080/03736687.2022.2047546).
- CALLAGHAN, D. A., DURING, H., MEDINA, R. & YANG, H. 2022. Long-term survival of bryophytes underground: an investigation of the diasporic bank of *Physcomitrium eurystomum* Sendtn. – *Journal of Bryology* **44**(3): 208–216. [10.1080/03736687.2022.2151857](https://doi.org/10.1080/03736687.2022.2151857).
- Callaghan, D. A. & Samson, L. 2022. Population status and ecology of the globally threatened moss *Ditrichum plumbicola* Crundw. on the Isle of Man. – *Journal of Bryology* **44**(3). [10.1080/03736687.2022.2156756](https://doi.org/10.1080/03736687.2022.2156756).
- CALLEJA, J. A., DOMÉNECH, G., SÁEZ, L., LARA, F., GARILLETI, R. & ALBERTOS, B. 2022. Extinction risk of threatened and non-threatened mosses: Reproductive and ecological patterns. – *Global Ecology and Conservation* **38**. [10.1016/j.gecco.2022.e02254](https://doi.org/10.1016/j.gecco.2022.e02254).
- CAMPBELL, C., GRANATH, G. & RYDIN, H. 2021. Climatic drivers of *Sphagnum* species distributions. – *Frontiers of Biogeography* **13**(4): 1–17. [10.21425/F5FBG51146](https://doi.org/10.21425/F5FBG51146).
- CARGILL, D. C., CHANTANAORRAPINT, S., ZHU, R.-L., ASTHANA, A. K., LI, L., RENZAGLIA, K. S. & VILLARREALA, J. C. 2022. Resolving relationships within the hornwort genus *Anthoceros*. – *Bryophyte Diversity and Evolution* **45**(1). [10.11646/bde.45.1.2](https://doi.org/10.11646/bde.45.1.2).
- CARRELL, A. A., LAWRENCE, T. J., CABUGAO, K. G. M., CARPER, D. L., PELLETIER, D. A., LEE, J. H., JAWDY, S. S., GRIMWOOD, J., SCHMUTZ, J., HANSON, P. J., SHAW, A. J. & WESTON, D. J. 2022. Habitat-adapted microbial communities mediate *Sphagnum* peatmoss resilience to warming. – *New Phytologist*: **234**(6): 2111–2125. [10.1111/nph.18072](https://doi.org/10.1111/nph.18072).
- COSIC, M., SABOVLJEVIC, M., PAPP, B., ŠINŽAR-SEKULIĆ, J., SABOVLJEVIC, A. & VUJICIC, M. 2022. Micropropagation of rare bryo-halophyte *Hennediella heimii*. – *Botanica Serbica* **46**(2): 187–195. [10.2298/TSERB2202187C](https://doi.org/10.2298/TSERB2202187C).

- DITTRICH, S., LANG, R., ALBRECHT, B., STETZKA, K. & VON OHEIMB, G. 2022. Vertical distribution of cryptogamic epiphytes on trees in central German alluvial hardwood forests: relevance for bioindication and nature conservation. – Herzogia. **35**(2): 443–461. [10.13158/heia.35.2.2022.443](https://doi.org/10.13158/heia.35.2.2022.443).
- DŘEVOJAN, P., BLAHUT, P., HOMOLOVÁ, Z., HRADÍLEK, Z., HRIVNÁK, R., KUČERA, J., MIKULÁŠKOVÁ, E., PALICE, Z., PETERKA, T., PLAČEK, J., SLEZÁK, M., ŠTECHOVÁ, T. & VICHEROVÁ, E. 2022. Zajímavé bryofloristické nálezy XXXVII. Interesting bryological records XXXVII. – Bryonora **69**: 46–54.
- DUCKETT, J. G. & PRESSEL, S. 2022. Do moss sporophytes maintain water balance? New insights from sporophyte water relations and the wild maturation cycle in *Funaria hygrometrica* Hedw. – Journal of Bryology **44**(3): 187–198. [10.1080/03736687.2022.2154736](https://doi.org/10.1080/03736687.2022.2154736).
- DYDERSKI, M., ZARNOWIEC, J., STEBEL, A. & CHMURA, D. 2022. Propagule pressure and land-use are more important than climate for invasive bryophytes regional distributions. – Landscape Ecology **37**: 1871–1884. [10.1007/s10980-022-01446-4](https://doi.org/10.1007/s10980-022-01446-4).
- ELLIS, L. T., AFONINA, O. M., CZERNYADJEVA I. V., ALEGRO, A., ŠEGOTA, V., BOIKO, M., ZAGORODNIUK, N., BURGHARDT, M., ALATAŞ, M., ASLAN, G., BATAN, N., DRAGIĆEVIĆ, S., ERATA, H., KIRMACI, M., ÖZENOĞLU, H., EVANGELISTA, M., VALENTE, E. B., FELETTI, T. A., EZER, T., FEDOSOV, V. E., FUERTES, E., OLIVÁN, G., NATCHEVA, R., GOSPODINOV, G., HODGSON, A., KIEBACHER, T., KÖCKINGER, H., VON KONRAT, M., KRAJŠEK, S. S., CIMERMAN, Ž. L., KUČERA, J., MIKULÁŠKOVÁ, E., MÜLLER, F., MUÑOZ, J., OCHYRA, R., PERALTA, D. F., PHILIPPE, M., PORLEY, R. D., RAWAT, K. K., PAUL, R. R., ROS, R. M., WERNER, O., SCHÄFER-VERWIMP, A., SÉRGIO, C., SHKURKO, A. V., SÖDERSTRÖM, L., DE SOUZA, A. M., SPITALE, D., ŠTEFĀNUŤ, S., TABUA, M. & WINTER, G. 2022. New national and regional bryophyte records, 69. – Journal of Bryology **44**(1): 87–102. [10.1080/03736687.2022.2061242](https://doi.org/10.1080/03736687.2022.2061242).
- ELLIS, L. T., AFONINA, O. M., ALIA, M. H. B., BURGHARDT, M., CABEZUDO, B., CANO, M. J., COTTET, A. C., CSIKY, J., DEME, J., ERZBERGER, P., EVANGELISTA, M., GLAZKOVA, E. A., GÓMEZ-GONZÁLEZ, D., GUERRA, J., JIMÉNEZ, J. A., KUZMINA, E. YU., LIKSAKOVA, N. S., MESSUTI, M. I., NATCHEVA, R., NORHAZRINA, N., PANTOVIC, J., PAPP, B., POTEMKIN, A. D., RODRÍGUEZ-QUIEL, E., SABOVLJEVIĆ, M. S., SPITALE, D., ŠTEFĀNUŤ, S., SYAZWANA, N., TOSSOU, M. G. & VILNET, A. A. 2022. New national and regional bryophyte records, 70. – Journal of Bryology **44**(2): 175–183. [10.1080/03736687.2022.2095145](https://doi.org/10.1080/03736687.2022.2095145).
- ELLIS, L. T., ARROCHA, C., BENÍTEZ CHAVEZ, Á., BEYROUTHY, M., CHANDINI, V. K., CZERNYADJEVA, I. V., DEME, J., ERZBERGER, P., FEDOSOV, V., GÓRSKI, P., GUERRA, J., HUGONNOT, V., LAUTENSCHLÄGER, T., LEE, G. E., MAIR, P., MAMONTOV, Y. S., MANJU, C. N., MANJULA, K. M., MESTERHAZY, A., MUFEED, B., MÜLLER, F., NEINHUIS, C., NÉMETH, C., PAUL, R. R., PÓCS, T., PORLEY, R. D., RAJESH, K. P., RAFOU FARD, F., RAWAT, K. K., RODRÍGUEZ-QUIEL, E., SCHÄFER-VERWIMP, A., ŠTEFĀNUŤ, S., TRATTER, S., VERWIMP, I., VILNET, A. A., WOLF, I. M. & ZANDER, R. H. 2022. New national and regional bryophyte records, 71. – Journal of Bryology **44**(3): 252–263. [10.1080/03736687.2022.2143223](https://doi.org/10.1080/03736687.2022.2143223).
- ENROTH, J., OLSSON, S., HUTTUNEN, S. & QUANDT, D. 2022. *Neckera*, *Forsstroemia* and *Alleniella* (Neckeraceae, Bryophyta) redefined based on phylogenetic analyses. – The Bryologist **125**(2): 311–327. [10.1639/0007-2745-125.2.311](https://doi.org/10.1639/0007-2745-125.2.311).
- ERZBERGER, P. 2022. Supplement to identification keys for Hungarian bryophytes. – Acta Biologica Plantarum Agriensis **10**: 36–46. [10.21406/abpa.2022.10.36](https://doi.org/10.21406/abpa.2022.10.36).
- ESCOLÁSTICO-ORTIZ, D. A., HEDENÄS, L., QUANDT, D., HARPKE, D., LARRAÍN, J., STECH, M. & VILLARREAL, J. C. 2022. Cryptic speciation shapes the biogeographic history of a northern distributed moss. – Botanical Journal of the Linnean Society **201**(1): 114–134. [10.1093/botlinnean/boac027](https://doi.org/10.1093/botlinnean/boac027).
- FEDOSOV, V., SHKURKO, A., FEDOROVÁ, A., IGNATOVA, E., SOLOVYEVA, E., BRINDA, J., IGNATOV, M. & KUCERA, J. 2022. Need for split: integrative taxonomy reveals unnoticed diversity in subaquatic species of *Pseudohygrohypnum* (Pylaisiaceae, Bryophyta). – PeerJ **10**: e13260. [10.7717/peerj.13260](https://doi.org/10.7717/peerj.13260).
- FELDBERG, K., GRADSTEIN, S. R., GRÖHN, C., HEINRICHS, J., VON KONRAT, M., MAMONTOV, Y. S., RENNER, M. A. M., ROTH, M., SCHÄFER-VERWIMP, A., SUKKHARAK, P. & SCHMIDT, A. R. 2021. Checklist of fossil liverworts suitable for calibrating phylogenetic reconstructions. – Bryophyte Diversity and Evolution **43**(1): 14–71. [10.11646/bde.43.1.6](https://doi.org/10.11646/bde.43.1.6).
- FUSELIER, L. C. & CARREIRO, M. M. 2022: Emergence and establishment of mosses and ferns from spore banks after exposure to glyphosate and two bioherbicides. – The Bryologist **125**(2): 352–361. [10.1639/0007-2745-125.2.352](https://doi.org/10.1639/0007-2745-125.2.352).
- GAŁKA, M., HÖLZER, A., FEURDEAN, A., LOISEL, J., TEICKNER, H., DIACONU, A.-C., SZAL, M., BRODER, T. & KNORR, K.-H. 2022. Insight into the factors of mountain bog and forest development in the Schwarzwald Mts.: Implications for ecological restoration. – Ecological Indicators **140**(1): 109039. [10.1016/j.ecolind.2022.109039](https://doi.org/10.1016/j.ecolind.2022.109039).
- GEY, S. 2022. FFH-Kartierung von *Mannia triandra* und weiterer Moose im Funtenseegebiet. [https://www.researchgate.net/publication/365852984_FFH-Kartierung_von_Mannia_tria... and weiterer Moose im Funtenseegebiet.](https://www.researchgate.net/publication/365852984_FFH-Kartierung_von_Mannia_tria...)

- GEY, S. & RAUBOLD, P. 2022. Bericht zur Jahresexkursion der BLAM im Südschwarzwald vom 15. bis 19. September 2021. – *Herzogiella* **9**: 8–19.
- GÓRSKI, P. 2022. *Marsupella subemarginata* (Gymnomitriaceae, Marchantiophyta) Newly Found in the Carpathians in the Polish and Slovak Tatras. – *Acta Societatis Botanicorum Poloniae* **91**. [10.5586/asbp.917](https://doi.org/10.5586/asbp.917).
- HÁJKOVÁ, P. & ŠIROKÁ, A. 2022. Výskyt mechu *Meesia uliginosa* s. str. v glaciálním sedimentu na Českomořavské vrchovině. Occurrence of the moss *Meesia uliginosa* s. str. in a glacial sediment in the Bohemian-Moravian Highlands. – *Bryonora* **69**: 1–6.
- HASSEL, K., FALAHATI-ANBARAN, M. & HØITOMT, T. 2022. *Encalypta driva* (sp. nov.) and its relationship to *E. vulgaris* in Scandinavia. – *Lindbergia* **45**(1): 1–18. [10.25227/linbg.01115](https://doi.org/10.25227/linbg.01115).
- HEDENÄS, L. 2022: Potentially misleading phylogenetic signal and its explanation in single species studies – contrasting *Loeskyphnum badium*, *Sarmentypnum exannulatum* and *Warnstorffia fluitans*. – *The Bryologist* **125**(1): 102–114. [10.1639/0007-2745-125.1.102](https://doi.org/10.1639/0007-2745-125.1.102).
- HEDENÄS, L., COLLART, F., HERAS, P., INFANTE, M., KOOIJMAN, A. & KUČERA, J. 2022. Distributions and habitats of the two partly allopatric cryptic species of the vulnerable moss *Hamatocaulis vernicosus* (Bryophyta) in Europe. – *Botanical Journal of the Linnean Society* **200**(2): 233–254. [10.1093/botlinnean/boac011](https://doi.org/10.1093/botlinnean/boac011).
- HESPAÑOL, H., CEZÓN, K., MUÑOZ, J., MATEO, R. & GONÇALVES, J. 2022. How vulnerable are bryophytes to climate change? Developing new species and community vulnerability indices. – *Ecological Indicators* **136**: 108643. [10.1016/j.ecolind.2022.108643](https://doi.org/10.1016/j.ecolind.2022.108643).
- HOFMANN, H., BERNHARD, A. & MEIER, M. 2022. Who is *Buckia*? Ein neues Nachschlagewerk von Swissbryophytes ermöglicht es, taxonomische und nomenklatorische Änderungen der Moosarten zu verfolgen. – *Meylania* **70**: 49–55.
- IGNATOV, M. S., ISHCHEŃKO, YU. S. & KUZNETSOVA, O. I. 2022. The genus *Jochenia* (Bryophyta) in Russia. – *Arctoa* **31**: 34–43. [10.15298/arctoa.31.05](https://doi.org/10.15298/arctoa.31.05).
- IGNATOVA, E. A., KUZNETSOVA, O. I., VEDOROVA, A. V. & IGNATOV, M. S. 2022. The genus *Pseudoleskeella* (Bryophyta) in Russia. – *Arctoa* **31**: 1–6. [10.15298/arctoa.31.02](https://doi.org/10.15298/arctoa.31.02).
- JIMÉNEZ, J. A., CANO, M. J., KÜRSCHNER, H., PORLEY, R. D. & GUERRA, J. 2022. Reappraisal of *Barbula trifaria* var. *desertorum* (J. Froehl.) S. Agnew (Pottiaceae, Bryophyta), based on morphological and molecular evidence. – *Nova Hedwigia* **114**(1–2): 9–21. [10.1127/nova_hedwigia/2022/0671](https://doi.org/10.1127/nova_hedwigia/2022/0671).
- JANIŠOVÁ, M., ŠÍRKA, P., PALPURINA, S., MAGNES, M., KUZEMKO, A., DEMBICZ, I. & KOZUB, Ł. 2022. Determinants of bryophyte assemblages in traditionally managed grasslands of the Carpathian Mts. – *Applied Vegetation Science* **25**(2): e12654. [10.1111/avsc.12654](https://doi.org/10.1111/avsc.12654).
- KIEBACHER, T. 2022. Martinsloch Spalthütchen (*Schistidium foraminis-martini*) – Eine einfach kenntliche *Schistidium*-Art mit besonderer Ökologie. – *Meylania* **69**: 22–26.
- KIEBACHER, T. & BLOM, H. 2022. On the occurrence of *Schistidium subconfertum* and *S. succulentum* in Europe. – *Lindbergia* 2022. [10.25227/linbg.01159](https://doi.org/10.25227/linbg.01159).
- KUBEŠOVÁ, S., JANOŠÍK, L., KONÍČEK, V., MAN, M., MARKOVÁ, I., RŮŽIČKOVÁ, A., ŠÍRKA, P., TKÁČIKOVÁ, J. & ZÁMEČNÍK, J. 2022. Mechorosty zaznamenané v průběhu 33. podzimních bryologicko-lichenologických dnů na Kokořínsku (září 2021). – *Bryonora* **69**: 30–40.
- KUTNAR, L., KERMAVNAR, J. & SABOVLJEVIC, M. 2022. Bryophyte species richness and functional traits in the managed temperate forests are also driven by bedrock and tree species composition. [10.21203/rs.3.rs-1714826/v1](https://doi.org/10.21203/rs.3.rs-1714826/v1).
- VAN LANDUYT, W. & VAN CALSTER, H. 2022. Changes in the distribution of bryophytes in a highly urbanised region in Western Europe (Flanders, Belgium): a species-trait analysis. – *Journal of Bryology* **44**(3): 199–207. [10.1080/03736687.2022.2151856](https://doi.org/10.1080/03736687.2022.2151856).
- LEWIS, R. A. & BUDKE, J. M. 2022. Bryophyte specimen organization and storage systems: A comparative assessment of staff practices and user preferences. – *The Bryologist* **125**(2): 222–247. [10.1639/0007-2745-125.2.222](https://doi.org/10.1639/0007-2745-125.2.222).
- LIU, S., FANG, S., CONG, B., LI, T., YI, D., ZHANG, Z., ZHAO, L. & ZHANG, P. 2022. The Antarctic Moss *Pohlia nutans* Genome Provides Insights Into the Evolution of Bryophytes and the Adaptation to Extreme Terrestrial Habitats. – *Front. Plant Sci.* **13**: 920138. [10.3389/fpls.2022.920138](https://doi.org/10.3389/fpls.2022.920138).
- LIU, X. & ROUSK, K. 2022. The moss traits that rule cyanobacterial colonization. – *Annals of Botany* **129**(2): 147–160. [10.1093/aob/mcab127](https://doi.org/10.1093/aob/mcab127).

- MEŽAKA, A., STRAZDINA, L., LIGITA LIEPINĀ, L., INOHOSA, L. G., JANSONS, Ā., & NITCIS, M. 2022. Rare epixylic liverwort *Odontoschisma denudatum* occurrence and cover in relation to dead log and forest stand characteristics in coniferous forest landscape. – Nova Hedwigia **115**(1–2): 65–78. [10.1127/nova_hedwigia/2022/0708](https://doi.org/10.1127/nova_hedwigia/2022/0708).
- MEILLEUR, S., GUÉNÉ-NANCHEN, M., HUGRON, S., FENTON, N. J. & ROCHEFORT, L. 2022. Towards the regeneration of brown mosses for fen restoration. – The Bryologist **125**(1): 23–35. [10.1639/0007-2745-125.1.023](https://doi.org/10.1639/0007-2745-125.1.023).
- MÜLLER, F., BIEDERMANN, S. & BAUMANN, M. 2022. Neue und bemerkenswerte Moosfunde aus Sachsen und zweiter Nachweis von *Fossombronia fimbriata* für Deutschland. – Herzogia **35**(1): 177–185. [10.13158/heia.35.1.2022.177](https://doi.org/10.13158/heia.35.1.2022.177).
- NIETO-LUGILDE, M., ROBINSON, S., AGUERO, B., DUFFY, A., IMWATTANA, K., HASSEL, K., FLATBERG, K. I., STENØIEN, H. K., SHKURKO, A. V., FEDOSOV, V. E. & SHAW, A. J. 2022. Morphological-molecular incongruence in *Sphagnum majus* ssp. *majus* and ssp. *norvegicum*. – The Bryologist **125**(2): 294–310. [10.1639/0007-2745-125.2.294](https://doi.org/10.1639/0007-2745-125.2.294).
- NIEUWKOOP, J. 2022. De ondersoorten van *Marchantia polymorpha* L. (parapluutjesmos) in Nederland. – Buxbaumiella **123**: 8–15.
- NIEUWKOOP, J. 2022. Weer een nieuw eendagsmos in Nederland, *Ephemerum sessile* (zittend eendagsmos). – Buxbaumiella **123**: 40–43.
- OBERMAYER, W., PÖLTL, M. & BERG, C. 2022. 2. Symposium „Moose und Flechten“ der Bryologisch-lichenologischen Arbeitsgemeinschaft für Mitteleuropa (BLAM) e.V. (29. Juni – 3. Juli 2022). Programm und Abstracts. – Fritschiana **98**: 1–50.
- PAKEMAN, R. J., O'BRIEN, D., GENNEY, D. & BROOKER, R. W. 2022. Identifying drivers of change in bryophyte and lichen species occupancy in Scotland. – Ecological Indicators **139**: 108889. [10.1016/j.ecolind.2022.108889](https://doi.org/10.1016/j.ecolind.2022.108889).
- PANTOVIC, J., BOZOVIC, D. & SABOVLJEVIC, M. 2023. Possible Effects of Climate Change on the Occurrence and Distribution of the Rare Moss *Buxbaumia viridis* in Serbia (SE Europe). – Plants **12**(3): 557. [10.3390/plants12030557](https://doi.org/10.3390/plants12030557).
- PANTOVIĆ, J., GRDOVIĆ, S. & SABOVLJEVIĆ, M. 2022. New bryophyte species records to the flora of Bosnia and Herzegovina. – Herzogia **35**(2): 664–669. [10.13158/heia.35.2.2022.664](https://doi.org/10.13158/heia.35.2.2022.664).
- PATIÑO, J., BISANG, I., GOFFINET, B., HEDENÄS, L., McDANIEL, S., PRESSEL, S., STECH, M., AH-PENG, C., BERGAMINI, A., CANERS, R. T., CARGILL, D. C., CRONBERG, N., DUCKETT, J., EPPELEY, S., FENTON, N. J., FISHER, K., GONZÁLEZ-MANCEBO, J., HASEBE, M., HEINRICHS, J., HYLANDER, K., IGNATOV, M. S., MARTÍNEZ-ABAIGAR, J., MEDINA, N. G., MEDINA, R., QUANDT, D., RENSING, S. A., RENZAGLIA, K., RENNER, M., ROS, R. M., SCHÄFER-VERWIMP, A., VILLARREAL, J. C. & VANDERPOORTEN, A. 2022. Unveiling the nature of a miniature world: a horizon scan of fundamental questions in bryology. – Journal of Bryology **44**(1): 1–34. [10.1080/03736687.2022.2054615](https://doi.org/10.1080/03736687.2022.2054615).
- PETERS, K. & KÖNIG-RIES, B. 2022. Reference bioimaging to assess the phenotypic trait diversity of bryophytes within the family Scapaniaceae. – Scientific Data **9**: 598. [10.1038/s41597-022-01691-x](https://doi.org/10.1038/s41597-022-01691-x).
- PLÁŠEK, V., ČÍHAL, L., MÜLLER, F., SMOCZYK, M., MARKOVÁ, I. & FIALOVÁ, L. 2022. Quo Vadis, *Orthotrichum pulchellum*? A Journey of Epiphytic Moss across the European Continent. – Plants **11**: 1–14. [10.3390/plants11202669](https://doi.org/10.3390/plants11202669).
- PÖLTL, M. & BERG, C. 2022. Bericht vom 2. Steirischen Moos-Kartierungstreffen in den Wölzer Tauern vom 25. bis 29. August 2020. – Joannea Botanik **18**: 61–74.
- PÖLTL, M., BERG, C., GEY, S., KÖCKINGER, H., MAYNOLLO, J. & WIMMER, T. 2022. Neues zur Moosflora der Steiermark 4. – Joannea Botanik **18**: 75–97.
- PERERA CASTRO, A., WATERMAN, M., ROBINSON, S. & FLEXAS, J. 2022. Limitations to photosynthesis in bryophytes: certainties and uncertainties regarding methodology. – Journal of Experimental Botany **73**(13): 4592–4604. [10.1093/jxb/erac189](https://doi.org/10.1093/jxb/erac189).
- PUGLISI, M., SPAMPINATO, G. & PRIVITERA, M. 2023. The bryophyte vegetation of gypsum outcrops: a focus on communities with *Tortula revolvens*. – Plant Biosystems - An International Journal Dealing with all Aspects of Plant Biology. 1–9. [10.1080/11263504.2023.2165571](https://doi.org/10.1080/11263504.2023.2165571).
- RAVERA, S., VIZZINI, A., PUGLISI, M., ASSINI, S., BENESPERI, R., BIANCHI, E., BOCCARDO, F., BOTTEGONI, F., VON BRACKEL, W., CLERICUZIO, M., DARMOSTUK, V., DE GIUSEPPE, A. B., DI NUZZO, L., DOVANA, F., GALLI, R., GHEZA, G., GIORDANI, P., GUTTOVÁ, A., ISOCRONO, D., MALÍČEK, J., MARTELLOS, S., MAYRHOFER, H., NASCIMBENE, J., NIMIS, P. L., PAOLI, L., PASSALACQUA, N. G., PROSSER, F., PUNTILO, D., SEGGI, L., SICOLI, G., TIMDAL, E., TRABUCCO, R. & VALLESE, C. 2022. Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 13. – Italian Botanist **13**: 1–17. [10.3897/italianbotanist.13.82155](https://doi.org/10.3897/italianbotanist.13.82155).
- RAVERA, S., PUGLISI, M., VIZZINI, A., TOTTI, C., ALEFFI, M., BACILLIERE, G., BENESPERI, R., BIANCHI, E., BOCCARDO, F., BOLPAGNI, R., VON BRACKEL, W., CANALI, G., CELLI, G., COGONI, A., DE GIUSEPPE, A. B., DI

- NATALE, S., DI NUZZO, L., DOVANA, F., GHEZA, G., GIORDANI, P., GIORGI, C. M., GIUGIA, D., IBERITE, M., ISOCRONO, D., MALÍČEK, J., MAYRHOFER, H., MUSCIONI, M., NASCIMBENE, J., NIMIS, P. L., ONGARO, S., PAS-SALACQUA, N. G., PICCARDO, P., POPONESSI, S., PRIETO ÁLVARO, M., PROSSER, F., PUNTILLO, D., SANTI, F., SCASSELLATI, E., SCHULTZ, M., SCIANDRELLO, S., SICOLI, G., SOLDANO, A., TIBURTINI, M. & VALLESE, C. 2022. Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 14. – *Italian Botanist* **14**: 61–80. [10.3897/italianbotanist.14.95956](https://doi.org/10.3897/italianbotanist.14.95956).
- RENNER, M., GRADSTEIN, S., ILKIU-BORGES, A. L., OLIVEIRA DA SILVA, F. & PROMMA, C. 2022. Molecular and morphological evidence support the recognition of three genera within Radulaceae (Porellales: Marchantiophyta). – *Bryophyte Diversity and Evolution* **45**(1): 95–118. [10.11646/bde.45.1.7](https://doi.org/10.11646/bde.45.1.7).
- RIMAC, A., ALEGRO, A., ŠEGOTA, V., VUKOVIC, N. & KOLETIĆ, N. 2022. Ecological Preferences and Indication Potential of Freshwater Bryophytes – Insights from Croatian Watercourses. – *Plants* **11**(24). 3451. [10.3390/plants11243451](https://doi.org/10.3390/plants11243451).
- ROS-ESPÍN, R., WERNER, O. & PORLEY, R. 2022. Herzog Vindicated: Integrative Taxonomy Reveals That *Trichostomum brachydontium* (Pottiaceae, Bryophyta) Comprises Several Species. – *Taxonomy* **2**: 57–88. [10.3390/taxonomy2010005](https://doi.org/10.3390/taxonomy2010005).
- SÉRGIO, C., GARCIA, C. A. & PORLEY, R. D. 2022. Observations on the taxonomy and distribution of *Epipterygium atlanticum* Hanusch and *E. tozeri* (Grev.) Lindb. (Mniaceae Schwägr.) in mainland Portugal. – *Cryptogamie, Bryologie* **13**: 195–200. [10.5252/cryptogamie-bryologie2022v43a13](https://doi.org/10.5252/cryptogamie-bryologie2022v43a13).
- SICILIA-PASOS, G., LOSADA-LIMA, A., JAY-GARCÍA, L. S., MARTINS, A., SIM-SIM, M. & PATIÑO, J. 2022. Revisiting the introduction history of *Campylopus introflexus* (Hedw.) Brid. in the Northern Hemisphere: first record and current distribution in Tenerife (Canary Islands, Spain). – *Journal of Bryology* **44**(2): 167–171. [10.1080/03736687.2022.2123904](https://doi.org/10.1080/03736687.2022.2123904).
- SIRKA, P., MARCINČINOVÁ, M., DUDÁŠ, M. & KUBEŠOVÁ, S. 2022. Bryophyte flora of the Košice Zoo (E Slovakia). – *Thaiszia Journal of Bryology* **32**(2): 129–149. [10.33542/TJB2022-2-03](https://doi.org/10.33542/TJB2022-2-03).
- SÖDERSTRÖM, L., HAGBORG, A. & KONRAT, M. 2022. Early Land Plants Today: Index of Liverwort and Hornwort names published 2019–2020. – *Phytotaxa* **542**(1): 1–23. [10.11646/phytotaxa.542.1.1](https://doi.org/10.11646/phytotaxa.542.1.1).
- SÖDERSTRÖM, L., HASSEL, K., LONG, D., FORREST, L. & SÉNECA, A. 2022. Studies on *Aneura* (Marchantiophyta, Aneuraceae): typification of *Riccardia fuscovirens* Lindb. – *Lindbergia* **2022**(1). [10.25227/linbg.01170](https://doi.org/10.25227/linbg.01170).
- SÖDERSTRÖM, L., HASSEL, K. & PRESTØ, T. 2022. *Lophozia lantratovae* Bakalin new to northern Europe. – *Lindbergia* **2022**(1). [10.25227/linbg.01167](https://doi.org/10.25227/linbg.01167).
- SPADA, C., MISERERE, L., BLOCKEEL, T., GUGLIELMO, F. & TUTINO, S. 2022. *Thamnobryum angustifolium* (Holt) Nieuwl. in the Maritime Alps, new to Italy. – *Journal of Bryology* **44**(1): 62–69. [10.1080/03736687.2022.2045422](https://doi.org/10.1080/03736687.2022.2045422).
- STARK, L. R., GREENWOOD, J. L. & BRINDA, J. C. 2022. How to dry a bryophyte: A review and experimental test of four methods to induce desiccation tolerance. – *The Bryologist* **125**(1): 1–22. [10.1639/0007-2745-125.1.001](https://doi.org/10.1639/0007-2745-125.1.001).
- STEFĀŃSKA-KRZACZEK, E., SWACHA, G., ŻARNOWIEC, J., RADUŁA, M. W., KAĆKI, Z. & STANIASZEK-KIK, M. 2022. Central European forest floor bryophytes: Richness, species composition, coexistence and diagnostic significance across environmental gradients of forest habitats. – *Ecological Indicators* **139**: 1–12. [10.1016/j.ecolind.2022.108954](https://doi.org/10.1016/j.ecolind.2022.108954).
- ŚWISŁOWSKI, P., VERGEL, K., ZINICOVSCAIÀ, I., RAJFUR, M. & WACŁAWEK, M. 2022. Mosses as a biomonitor to identify elements released into the air as a result of car workshop activities. – *Ecological Indicators* **138**: 108849. [10.1016/j.ecolind.2022.108849](https://doi.org/10.1016/j.ecolind.2022.108849).
- TEUBER, U. & GÖDING, H. 2022: Gebietsmonografie Donauinsel Soldatenau. Moosaufnahmen auf der Soldatenau – 2021. – *Der Bayerische Wald* **35**(1–2): 76–87.
- WOLSKI, G., BOŻYK, D. & PROCKOW, J. 2022. Revision of the Original Material of *Plagiothecium denticulatum* var. *obtusifolium* (Turn.) Moore and New Synonyms for This Taxon. – *Plants* **11**(19): 2446. [10.3390/plants11192446](https://doi.org/10.3390/plants11192446).
- WOLSKI, G., NOWICKA-KRAWCZYK, P. & BUCK, W. 2022. Taxonomic revision of the *Plagiothecium curvifolium* complex. – *PLoS ONE* **17**(11): e0275665. [10.1371/journal.pone.0275665](https://doi.org/10.1371/journal.pone.0275665).
- WOLSKI, G. & PROCKOW, J. 2022. Lectotypification, epitypification and history of the name *Plagiothecium neglectum* Mönk. (Plagiotheciaceae). – *PhytoKeys* **189**: 1–8. [10.3897/phytokeys.189.77839](https://doi.org/10.3897/phytokeys.189.77839).
- WOLSKI, G., TYLAK, A. & BUCK, W. 2022. Revision of the *Plagiothecium cavifolium* complex (Bryophyta: Plagiotheciaceae). – *Diversity* **14**(8): 633. [10.3390/d14080633](https://doi.org/10.3390/d14080633).

- WYATT, R., STONEBURNER, A., & WYATT, G. E. 2022. Evidence for entomophily in "Knothole Moss" (*Anacamptodon splachnoides*). – The Bryologist **125**(4): 558–570. [10.1639/0007-2745-125.4.558](https://doi.org/10.1639/0007-2745-125.4.558).
- YUSUP, S., SUNDBERG, S., OOI, M., ZHANG, M., SUN, Z., RYDIN, H., WANG, M., FENG, L., CHEN, X. & BU, Z.-J. 2022. Smoke promotes germination of peatland bryophyte spores. – Journal of experimental botany **74**(1): 251–264. [10.1093/jxb/erac420](https://doi.org/10.1093/jxb/erac420).
- ZARZYCKI, J., ZAJĄC, E. & VONČINA, G. 2022. Bryophytes and vascular plants on peat extraction sites - which factors influence their growth? – Journal for Nature Conservation **70**: 126287. [10.1016/j.jnc.2022.126287](https://doi.org/10.1016/j.jnc.2022.126287).
- ZECHMEISTER, H. & KROPIK, M. 2022. Die Moosflora des Nationalparks Donau-Auen. – Naturkundliche Mitteilungen aus den Landessammlungen Niederösterreich **32**: 151–182.
- ZECHMEISTER H. G. & KROPIK, M. 2022. Erfassung der FFH-Moose *Mannia triandra* und *Scapania carinthiaca* im Nationalpark Gesäuse – Endbericht. http://www.parcs.at/npg/pdf_public/2022/51257_20220928_132426_Endbericht_FFH-Moose_Zechmeister_2022_inkl.Metadaten_frParcs.pdf.

STEFAN GEY, Westendstr. 30, D-83527 Haag i. OB, E-Mail: tayloria@my.mail.de

JOHANN PETER GRUBER, Gruberfeldweg 22, A-5322 Hof bei Salzburg, Österreich,
E-Mail: jp.gruber@gmx.at