

Neue Publikationen zur Moosflora Mitteleuropas Fünfte Folge

STEFAN GEY & J. PETER GRUBER

Die Literaturzusammenstellung erhebt keinen Anspruch auf Vollständigkeit. Sie berücksichtigt überwiegend Publikationen aus dem Jahr 2021, sowie Nachträge aus dem Jahr 2020 und beinhaltet hauptsächlich Fachbücher und Fachartikel zu Studien und Fundberichten über Moose in Mitteleuropa. Zusätzlich sind außereuropäische Arbeiten aufgelistet, die aufgrund der behandelten Arten oder Methoden von Interesse sind. Für aktuelle Veröffentlichungen mit Fokus auf Taxonomie und Systematik sei auf den Beitrag „Taxonomische und nomenklatorische Neuerungen – Moose, von Markus K. Meier in diesem Herzogiella-Heft verwiesen. Für Hinweise auf entsprechende Publikationen für kommende Folge dieser Serie sind wir dankbar.

Bücher & Buchkapitel

- BLOCKEEL, T., HODGETTS, N., PILKINGTON, S. & PEScott, O. 2021. A Census Catalogue of British and Irish Bryophytes 2021. – British Bryological Society. 161 p. ISBN: 978-0-9561310-4-1.
- COLLART, F. 2021. Predicting the dynamics of range shifts under climate change: assumptions and applications to the European bryophyte flora. – Doctoral dissertation, Universite of Liege. 149 p.
- DÜLL, R. & DÜLL-WUNDER, B. 2021. Die Moose Mitteleuropas. Bestimmung und Beschreibung der wichtigsten Arten. 500 pp. – Quelle & Meyer (Verl.). ISBN 978-3-494-01847-8.
- FRONTASYEVA, M., HARMENS, H., UZHINSKIY, A. & CHALIGAVA, O. and participants of the moss survey. 2020. Mosses as biomonitors of air pollution: 2015/2016 survey on heavy metals, nitrogen and POPs in Europe and beyond. Report of the ICP Vegetation. The International Co-operative Programme on Effects of Air Pollution on Natural Vegetation and Crops. The ICP Vegetation reports to the Working Group on Effects of the Convention on Long-range Transboundary Air Pollution. ICP Vegetation Moss Survey Coordination Centre. – Joint Institute for Nuclear Research, Dubna, Russian Federation, 136 pp. ISBN 978-5-9530-0508-1. 10.13140/RG.2.2.30159.71848.
- HOLYOAK, D. T. 2021. European Bryaceae. A Guide to the Species of the Moss Family Bryaceae in Western & Central Europe and Macaronesia. – Pisces Publications – Gomer press. 344 p. ISBN 978-1-913994-00-6.
- HUGONNOT, V. & CHAVOUTIER, L. 2021. Les bryophytes de France. Vol. 1. Anthocérotes et Hépatiques. – BIOTOPE, 2021. 651 p. Hardcover. ISBN 9782366622584.
- ISERMANN, M., RABITSCH, W. & NEHRING, S. 2021. Naturschutzfachliche Invasivitätsbewertungen für in Deutschland wildlebende gebietsfremde terrestrische Moose, Flechten und Pilze. I. Moose und Flechten. In: RABITSCH W. & NEHRING, S. (Hrsg.), BfN-Skripten **603**: 5–41.– Bundesamt für Naturschutz.
- LÜTH, M. 2021. Mosses of Europe – DVD-ROM Mosses of Europe - A Photographic Flora - 3 vol. in one PDF on DVD.

Artikel

- ALEGRO, A., ŠEGOTA, V. & RIMAC, A. 2021. A catalogue of the hornworts and liverworts of Croatia. – *Herzogia* **34**(2): 227–254. 10.13158/heia.34.2.2021.227.
- BAILLY, G., BICK, F., CARTIER, D., CHAILLET, P., GEHIN, T., GREFFIER, B., GUINCHARD, P., HUGONNOT, V., MANGEAT, M., PHILIPPE, M., COLLAUD, R., GUYONNEAU, J., HENNEQUIN, C., HOLVECK, P., RYELANDT, J., THIERRY, F. & TINGUY, H. 2020. Contribution à l’inventaire de la bryoflore du nord-est de la France - année 2019. – *Les Nouvelles Archives de la Flore jurassienne et du nord-est de la France*. **17**: 195–208.
- BAKALIN, V., VILNET, A., KLIMOVA, K., MA, W.-Z., CHOI, S. S. & HENTSCHEL, J. 2021. Hidden in plain view: an example from *Ptilidium* (Ptilidiaceae, Marchantiophyta). – *Phytotaxa* **510**(1): 29–42.
- BARÁTH, K. & ERZBERGER, P. 2021. Effect of light pollution on the species composition of moss communities. – *Acta Biologica Plantarum Agriensis* **9**(1): 71. 10.21406/abpa.2021.9.1.71.
- BAUMANN, M., MÜLLER, F. & KUCERA, J. 2021. Wiederfund von *Ulota drummondii* für Deutschland. – *Herzogia* **34**(3): 508–514. 10.13158/heia.34.2.2021.508.
- BERG, C., FERNANDEZ-MENDOZA, F., BROOKS, R., STADLOBER, T. & PÖLTL, M. 2021. Vegetative reproduction in the genus *Riccia* (subgenus *Riccia*). – *Arctoa* **30**(2): 347–353. 10.15298/arctoa.30.23.
- BERGAMINI, A., BOCH, S., HEPENSTRICK, D., KIEBACHER, T., LÜTH, M., MOSER, T., MÜLLER, N. & SCHNYDER, N. 2021. Beiträge zur bryofloristischen Erforschung der Schweiz – Folge 16. – *Meylania* **67**(1): 8–21.
- BIBEAU, J. P., GALOTTO, G., WU, M., TÜZEL, E. & VIDALI, L. 2021. Quantitative cell biology of tip growth in moss. – *Plant Molecular Biology*. 10.1007/s11103-021-01147-7.
- BISANG, I., LIENHARD, L. & BERGAMINI, A. 2021. Three decades of field surveys reveal a decline of arable bryophytes in the Swiss lowlands despite agri-environment schemes Agriculture. – *Agriculture, Ecosystems and Environment* **313**(3): 107325. 10.1016/j.agee.2021.107325.
- BISANG, I., SCHNYDER, N. & BERGAMINI, A. 2021. Are agri-environment schemes beneficial to arable specialist bryophytes in Switzerland? – *Field Bryology* **125**: 50–59.
- BONFIM SANTOS, M., FEDOSOV, V., HARTMAN, T., FEDOROVA, A., SIEBEL, H. & STECH, M. 2021. Phylogenetic inferences reveal deep polyphyly of Aongstroemiaceae and Dicranellaceae within the haplolepidaceous mosses (Dicranidae, Bryophyta). – *Taxon* **70**(2): 246–262. 10.1002/tax.12439.
- BREWCZYŃSKI, P., GRAŁEK, K. & BILAŃSKI, P. 2021. Occurrence of the Green Shield-Moss *Buxbaumia viridis* (Moug.) Brid. in the Bieszczady Mountains of Poland. – *Forests* **12**(3): 374. 10.3390/f12030374.
- BRUGGEMAN-NANNENGA, M. A. 2021. *Fissidens* subgen. *Aloma*, the scariosus- and bryoides-type of peristome in the light of the phylogenetic tree by Suzuki et al. – *Lindbergia* **44**(1). 10.25227/linbg.01137.
- BRUSA, G. 2021. Remarkable records of liverworts in the order Marchantiales for Northern Italy. – *Ann. Mus. Civ. Sc. Nat.* **40**: 5–9.
- CALLAGHAN, D. A. 2021. Population status and ecology of *Philonotis marchica* (Hedw.) Brid. in Britain. – *Journal of Bryology* **43**(3): 242–250. 10.1080/03736687.2021.1975958.
- CALLAGHAN, D. A., WILLEGAN, L., WILLIAMS, W., HOLLINGHAM, M. & JONES, L. 2020. Pony trails, hydrology and habitat restoration: aspects of the ecology of *Petalophyllum ralfsii* in a Welsh oceanic dune system. – *Journal of Bryology* **43**(2): 150–161. 10.1080/03736687.2020.1819719.

- CANO, M. J., JIMÉNEZ, J. A., GALLEGU, M. T. & GUERRA, J. 2021. A molecular approach to the phylogeny of the moss genus *Pseudocrossidium* (Pottiaceae, Bryopsida) and its taxonomic implications. – *Journal of Systematics and Evolution* **00**(0): 1–18. 10.1111/jse.12801.
- CAMPBELL, C., GRANATH, G. & RYDIN, H. 2021. Climatic drivers of *Sphagnum* species distributions. – *Frontiers of Biogeography* **13**(4). 10.21425/F5FBG51146.
- CHEN, Y.-D., MOLES, A., BU, Z.-J., ZHANG, M., WANG, Z. & ZHAO, H. 2021. Induced defense and its cost in two bryophyte species. – *American Journal of Botany* **108**. 10.1002/ajb2.1654.
- CHIAPUSIO, G., BINET, P., BERTHEAU, C. & PRIAULT, P. 2022. *Sphagnum* physiological responses to elevated temperature, nitrogen, CO₂ and low moisture in laboratory and in situ microhabitats: a review. – *Aquatic Ecology*. 10.1007/s10452-021-09924-8.
- COLLART, F., WANG, J., PATIÑO, J., HAGBORG, A., SÖDERSTRÖM, L., GOFFINET, B., MAGAIN, N., HARDY, O. & VANDERPOORTEN, A. 2021. Macroclimatic structuring of spatial phylogenetic turnover in liverworts. – *Ecography* **44**(10): 1474–1485. 10.1111/ecog.05659.
- ĆOSIĆ, M., JANOŠEVIĆ, D., OALDJE, M., VUJICIC, M., LANG, I., SABOVLJEVIC, M. & SABOVLJEVIC, A. 2021. Terpenoid evidences within three selected bryophyte species under salt stress as inferred by histochemical analyses. – *Flora* **285**: 151956. 10.1016/j.flora.2021.151956.
- CZEREPKO, J., GAWRYŚ, R., SZYMZYK, R., PISAREK, W., JANEK, M., HAIDT, A., KOWALEWSKA, A., PIEGDOŃ, A., STEBEL, A., KUKWA, M. & CACCIATORI, C. 2021. How sensitive are epiphytic and epixylic cryptogams as indicators of forest naturalness? Testing bryophyte and lichen predictive power in stands under different management regimes in the Białowieża forest. – *Ecological Indicators* **125**. 10.1016/j.ecolind.2021.107532.
- DEME, J. & CSIKY, J. 2021. Development and survival of *Buxbaumia viridis* (Moug. ex DC.) Brid. ex Moug. & Nestl. sporophytes in Hungary. – *Journal of Bryology* **43**(3): 213–223. 10.1080/03736687.2021.1916169.
- DONG, S., ZHANG, S., ZHANG, L., WU, H., GOFFINET, B. & LIU, Y. 2021. Plastid genomes and phylogenomics of liverworts (Marchantiophyta): Conserved genome structure but highest relative plastid substitution rate in land plants – *Molecular Phylogenetics and Evolution* **161**(8): 107171. 10.1016/j.ympev.2021.107171.
- DRAGIĆEVIĆ, S., PÖLTL, M., STABENTHEINER, E. & BERG, C. 2020. *Riccia atromarginata* (Ricciaceae, Marchantiophyta) new to the Western Balkans, with notes on its morphology. – *Hacquetia* **20**(1): 49–56. 10.2478/hacq-2020-0020.
- DRAPER, I., GARILLETI, R., CALLEJA, J. A., FLAGMEIER, M., MAZIMPAKA, V., VIGALONDO, B. & LARA, F. 2021. Insights into the Evolutionary History of the Subfamily Orthotrichoideae (Orthotrichaceae, Bryophyta): New and Former Supra-Specific Taxa So Far Obscured by Prevailing Homoplasy. – *Frontier in Plant Science* **12**: 629035. 10.3389/fpls.2021.629035.
- DYDERSK, M. K. & JAGODZIŃSKI, A. M. 2020. Impacts of alien tree species on the abundance and diversity of terricolous bryophytes. – *Folia Geobotanica* **55**(4): 351–363. 10.1007/s12224-020-09384-2.
- DYNESIUS, M., OLSSON, J., HJÄLTÉN, J., LÖFROTH, T. & ROBERGE, J. M. 2021. Bryophyte species composition at the stand scale (1 ha) – Differences between secondary stands half a century after clear-cutting and older semi-natural boreal forests. – *Forest Ecology and Management*: **482**(11): 8833. 10.1016/j.foreco.2020.118883.
- ECKSTEIN, J. 2021. Die Moose (Bryophyta) von Binnendünen in Sachsen-Anhalt. – *Berichte des Landesamtes für Umweltschutz Sachsen-Anhalt*. **2020**(2): 61–72.

- ELLIS, L. T., AH-PENG, C., ASLAN, G., BAKALIN, V. A., BERGAMINI, A., CALLAGHAN, D. A., CAMPISI, P., RAIMONDO, F. M., CHOI, S. S., CSIKY, J., CSIKYNÉ RADNAI, É., CYKOWSKA-MARZENCKA, B., CZERNYADJEVA, I. V., KALININA, Y. M., AFONINA, O. M., DOMINA, G., DRAPELA, P., FEDOSOV, V. E., FUERTES, E., GABRIEL, R., KUBOVÁ, M., SOARES ALBERGARIA, I., GOSPODINOV, G., NATCHEVA, R., GRAULICH, A., HEDDERSON, T., HERNÁNDEZ-RODRÍGUEZ, E., HUGONNOT, V., HYUN, C. W., KIRMACI, M., ÇATAK, U., KUBEŠOVÁ, S., KUČERA, J., LA FARGE, C., LARRAÍN, J., MARTIN, P., MUFEED, B., MANJU, C. N., RAJESH, K. P., NÉMETH, C., NAGY, J., NORHAZRINA, N., SYAZWANA, N., O'LEARY, S. V., PARK, S. J., PEÑA-RETES, A. P., RIMAC, A., ALEGRO, A., ŠEGOTA, V., KOLETIĆ, N., VUKOVIĆ, N., ROSADZIŃSKI, S., ROSSELLÓ, J. A., SABOVLJEVIĆ, M. S., SABOVLJEVIĆ, A. D., SCHÄFER-VERWIMP, A., SÉRGIO, C., SHKURKO, A. V., SHYRIAIEVA, D., VIRCHENKO, V. M., SMOCZYK, M., SPITALE, D., SRIVASTAVA, P., OMAR, I., ASTHANA, A. K., STANIASZEK-KIK, M., CIENKOWSKA, A., ŞTEFĂNUŢ, M.-M., ŞTEFĂNUŢ, S., TAMAS, G., BÎRSAN, C.-C., NICOARĂ, G.-R., ION, M. C., PÓCS, T., KUNEV, G., TROEVA, E. I., VAN ROOY, J., WIETRZYK-PEŁKA, P., WĘGRZYN, M. H., WOLSKI, G. J., BOŻYK, D. & CIENKOWSKA, A. 2021. New national and regional bryophyte records, 65. – *Journal of Bryology* **43**(1): 67–91. 10.1080/03736687.2021.1878804.
- ELLIS, L. T., ALATAŞ, M., ALEFFI, M., ÁLVARO ALBA, W. R., BECERRA INFANTE, D. A., CÁRDENAS ESPINOSA, K. A., AZIZ, M. N., BAKALIN, V. A., BERGAMO DECARLI, G., BOIKO, M., ZAGORODNIUK, N., BOIKO, L. M. BOROVICHEV, E., A., BRUSA, G., CANO, M. J., JIMÉNEZ, J. A., CHOI, S. S., DRAPER, I., LARA, F., DUNLIN, M. V., ENROTH, J., EZER, T., FEDOSOV, V. E., FUERTES, E., GARILLETI, R., ALBERTOS, B., GRADSTEIN, S. R., GRAULICH, A., HUGONNOT, V., HYUN, C. W., KIRMACI, M., FILIZ, F., ÇATAK, U., KONSTANTINOVA, N. A., SAVCHENKO, A. N., KROPIK, M., KUČERA, J., KÜRSCHNER, H., KUZMINA, E. YU., LIKSAKOVA, N. S., MAITY, D., MARTIN, P., MCINTOSH, T. T. VAN MELICK, H. M. H., MONCADA, B., NÉMETH, Cs., O'LEARY, S. V., PEÑALOZA-BOJACÁ, G. F., MACIEL-SILVA, S. A., POPONESSI, S., COGONI, A., PORLEY, R. D., POTEMKIN, A. D., PUGLISI, M., SCIANDRELLO, S., RAWAT, K. K., SAHU, V., PAUL, R. R., RYAN, M., SAHA, P., SALAS D. S., SEGARRA-MORAGUES, J. G., SGUAZZIN, F., SHAFIGULLINA, N. R., SHEVOCK, J. R., ŞTEFĂNUŢ, S., UYGUR, A., KARAMAN ERKUL, S., URSAVAŞ, S., ÖZEN, A., ZECHMEISTER, H. G. & ZANDER, R. H. 2021. New national and regional bryophyte records, 66 – *Journal of Bryology* **43**(2): 193–212. 10.1080/03736687.2021.1942590.
- ELLIS, L.T., ALATAŞ, M., ÁLVARO ALBA, W. R., CHARRY GIRALDO, A. M., AMATOV, V., BATAN, N., BECERRA INFANTE, D. A., BURGHARDT, M., CZERNYADJEVA, I. V., KUZMINA, E. Y., DOROSHINA, G. Y., ERATA, H., GARILLETI, R., GRADSTEIN, S. R., JUKONIENĖ, I., KARAMAN ERKUL, S., KESKIN, A., EZER, T., LARA, F., DRAPER, I., MAKSIMOV, A. I., MAMMADOVA, A. V., NATCHEVA, R., NÉMETH, C., PANTOVIĆ, J., SABOVLJEVIĆ, M. S., PAPP, B., POPONESSI, S., COGONI, A., PORLEY, R. D., REINER-DREHWALD, M. E., SCHÄFER-VERWIMP, A., SCHMOTZER, A., ŠEGOTA, V., ALEGRO, A., RIMAC, A., ŞTEFĂNUŢ, S., SZURDOKI, E., VILK, E. F., VIRCHENKO, V. M., BIJLSMA, R. J. & CALLAGHAN, D. A. 2021. New national and regional bryophyte records, 67. – *Journal of Bryology* **43**(3): 301–311. 10.1080/03736687.2021.1977517.
- ELLIS, L. T., BEDNAREK-OCHYRA, H., CHANDINI, V. K., MANJU, C. N., NISHIDA, P. P., SAJITHA MENON, S., SRUTHI, O. M., RAJESH, K. P., COTTET, A. C., MESSUTI, M. I., DULIN, M. V., SEMENOVA, N. A., PANYUKOV, A. A., TETERYUK, B. YU., ERZBERGER, P., FUERTES, E., GARILLETI, R., GUPTA, R., ASTHANA, A. K., GRADSTEIN, S. R., HEDENÄS, L., KIEBACHER, T., KUČERA, J., LARA, F., MAMONTOV, YU. S., NAGY, J., NÉMETH, Cs., OBABKO, R. P., POPONESSI, S., DE AGOSTINI, A., COGONI, A., PORLEY, R. D., PUGLISI, M., SCIANDRELLO, S., SCHMOTZER, A., ŠIRKA, P., SIPMAN, H. J., ŞTEFĂNUŢ, S., VILNET, A. A., IGNATOV, M. S., IGNATOVA, E. A. & PISARENKO, O. YU. 2021. New national and regional bryophyte records, 68. – *Journal of Bryology* 10.1080/03736687.2021.2002115.

- ERZBERGER, P. 2021. *Campylopus subulatus* Schimp. ex Milde and *Fossombronina incurva* Lindb. are not members of the Hungarian bryophyte flora. – *Acta Biologica Plantarum Agriensis* **9**: 44–45. 10.21406/abpa.2021.9.1.44.
- ERZBERGER, P. 2021. Keys for the identification of bryophytes occurring in Hungary. – *Acta Biologica Plantarum Agriensis* **9**: 3–260. 10.21406/abpa.2021.9.2.3.
- ERZBERGER, P., BERÁNEK, Á., CSIKY, J., NAGY, J., NÉMETH, C., SCHMOTZER, A. & PAPP, B. 2021. What is new in the Hungarian Bryophyte Flora? – *Acta Biologica Plantarum Agriensis* **9**(1): 47. 10.21406/abpa.2021.9.1.47.
- ESSL, F. & ZECHMEISTER, H. 2021. The checklist of alien and cryptogenic bryophytes in Austria (2nd edition). – *BioInvasions Records* **10**(2): 419–424. 10.3391/bir.2021.10.2.20.
- ETHELBERG-FINDSEN, D., RØNN, R. & EKELUND, F. 2021. Wood Ash Application Reduces Bryophyte Cover and Changes Species Composition in a Norway Spruce (*Picea abies*) Plantation – *Forests* **12**(2): 178. 10.3390/f12020178.
- FEDOSOV, V., FEDOROVA, A., LARRAIN, J., BONFIM SANTOS, M., STECH, M., KUCERA, J., BRINDA, J., TUBANOVA, D., KONRAT, M., IGNATOVA, E. & IGNATOV, M. 2020. Unity in diversity: phylogenetics and taxonomy of Rhabdoweisiaceae (Dicranales, Bryophyta). – *Botanical Journal of the Linnean Society* **195**. 10.1093/botlinnean/boaa087.
- FELDBERG, K., GRADSTEIN, S. R., GRÖHN, C., HEINRICHS, J., VON KONRAT, M., MAMONTOV, Y. S., RENNE, M. A. M., ROTH, M., SCHÄFER-VERWIMP, A., SUKKHARAK, P. & SCHMIDT, A. R. 2021. Checklist of fossil liverworts suitable for calibrating phylogenetic reconstructions. – *Bryophyte Diversity and Evolution* **43**(1): 14–71. 10.11646/bde.43.1.6.
- FELDBERG, K., SCHÄFER-VERWIMP, A., RENNER, M. A.M., VON KONRAT, M., BECHTELER, J., MÜLLER, P. WANG, Y-D., SCHNEIDER, H. & SCHMIDT, A. R. 2021. Liverworts from Cretaceous amber. – *Cretaceous Research* **128**(2): 104987. 10.1016/j.cretres.2021.104987.
- FLORES, J. R., BIPPUS, A. C., SUÁREZ, G. M. & HYVÖNEN, J. 2021. Defying death: incorporating fossils into the phylogeny of the complex thalloid liverworts (Marchantiidae, Marchantiophyta) confirms high order clades but reveals discrepancies in family-level relationships. – *Phylogenie* **37**(3): 231–247. 10.1111/cla.12442.
- FÜRSTENOW, J. & LINDER, W. 2019. Die Moos- und Flechtenflora im FFH-Gebiet Wittstock-Ruppiner Heide. – *Verhandlungen des Botanischen Vereins Berlin Brandenburg* **151**: 63–82.
- GEY, S., MÜLLER, J. & REIMANN, M. 2021. *Bruchia vogesiaca* – Wiederfund für Deutschland nach über 100 Jahren. – *Herzogia* **34**(1): 154–161. 10.13158/heaia.34.1.2021.154.
- GHEZA, G., ASSINI, S., LELLI, C., MARINI, L., MAYRHOFFER, H. & NASCIMBENE, J. 2020. Biodiversity and conservation of terricolous lichens and bryophytes in continental lowlands of northern Italy: the role of different dry habitat types. – *Biodiversity and Conservation* **29**(1–2): 3533–3550. 10.1007/s10531-020-02034-1.
- GORYUNOV, D. V., SOTNIKOVA, E. A., GORYUNOVA, S. V., KUZNETSOVA, O. I., LOGACHEVA, M. D., MILYUTINA, I. A., FEDOROVA, A. V., FEDOSOV, V. E. & TROITSKY, A. V. 2021. The Mitochondrial Genome of Nematodontous Moss *Polytrichum commune* and Analysis of Intergenic Repeats Distribution among Bryophyta. – *Taxonomy, Diversity and Evolution of Bryophytes* **13**(2): 54. 10.3390/d13020054.
- GRAULICH, A. 2021. Distribution, ecology, morphology and reproductive biology of *Sphagnum majus* in the south of its range (Hautes-Fagnes, Belgium) – *Lindbergia* **44**(1). 10.25227/linbg.01128.

- GUERRA, J., GALLEGO, M. T., JIMÉNEZ, J. A., LÜTH, M. & PEDROCCHI-RUIS, C. 2021. The rare *Cinclidotus vivesii* Ederra, a case of interpecific hybridisation. – *Herzogia* **34**(2): 267–278. 10.13158/heia.34.2.2021.267.
- HEDENÄS, L. 2021. Relationships within *Timmia*, especially within *T. austriaca* Hedw. (Musci, Timmiaceae). – *Journal of Bryology* **43**(3): 283–291. 10.1080/03736687.2021.1963914.
- HEDENÄS, L., HYLANDER, K., LÖNNELL, N. & BISANG, I. 2021. Genetic variation and reproductive patterns in wetland mosses suggest efficient initial colonization of disturbed sites. – *Ecology and Evolution* **11**. 10.1002/ece3.8255.
- HEPENSTRICK, D., BERGAMINI, A., WEBSTER, C., GINZLER, C. & HOLDEREGGER, R. 2021. Factors determining bryophyte species richness and community composition on insular siliceous erratic boulders in calcareous landscapes. – *Journal of Vegetation Science*. 10.1111/jvs.13094.
- HEPENSTRICK, D., ZEMP, N., WIDMER, A. & HOLDEREGGER, R. 2021. Neither connectivity nor genetic diversity matter in the conservation of a rare fern and a moss on insular erratic boulders. – *Conservation Genetics*. 1–17. 10.1007/s10592-021-01414-6.
- HORN, A., PASCAL, A., LONČAREVIĆ, I., VOLPATTO MARQUES, R., LU, Y., MIGUEL, S., BOURGAUD, F., THORSTEINSDÓTTIR, M., CRONBERG, N., BECKER, J. D., RESKI, R. & SIMONSEN, H. T. 2021. Natural Products from Bryophytes: From Basic Biology to Biotechnological Applications. – *Critical Reviews in Plant Sciences* **40**(3): 191–217. 10.1080/07352689.2021.1911034.
- HUGONNOT, V. 2021. Bryophytes of a disused China-clay mine: Echassières site in Allier (France) – conservation of an elusive bryoflora. – *Plant Biosystems*. 10.1080/11263504.2021.1922530.
- HUGONNOT, V. 2021. Le Lescuraetum mutabilis Greter ex Wilm. 1962 dans le Massif central. – *BIOM* **2**(1): 13–18. 10.52497/biom.v2i1.271.
- IGNATOVA, E. A., PISARENKO, O. YU., KUZNETSOVA, O. I. & IGNATOV, M. S. 2021. *Tayloria rudolphiana* in Russia, a range extension of worldwide rare moss species. – *Botanica Pacifica* **10**(2): 21–27. 10.17581/bp.2021.10205.
- IVKOVIĆ, I., NOVAKOVIĆ, M., VELJIĆ, M., MOJSIN, M., STEVANOVIC, M., MARIN, P. & BUKVICKI, D. 2021. Bis-Bibenzyls from the Liverwort *Pellia endiviifolia* and Their Biological Activity. – *Plants* **10**(6): 1063. 10.3390/plants10061063.
- JAGER, H. J., VAN DER VEEN, K. & WEEDA, E. J. 2021. Standplaatsen, zeldzaamheid en beheergevoeligheid van *Pseudobryum cinclidioides* (zwartsteelsterrenmos) – *Buxbaumia* **121**: 36–56.
- JIMÉNEZ, J.A., CANO, M. J. & GUERRA, J. 2021. A multilocus phylogeny of the moss genus *Didymodon* and allied genera (Pottiaceae): Generic delimitations and their implications for systematics. – *Journal of Systematics and Evolution*. 10.1111/jse.12735.
- JOSHI, S., BHARDWAJ, P. & ALAM, A. 2022. Bryophytes as a safeguard of fruits from postharvest fungal diseases: A Review. – *Natural Resources for Human Health*. 10.53365/nrfhh/145476.
- KIEBACHER, T., KÖCKINGER, H. & KUCERA, J. 2021. Adaptive divergence in the neglected alpine moss *Lewinskya killiasii* (Orthotrichaceae), an example of vicariance on different rock types in bryophytes. – *Botanical Journal of the Linnean Society*. 10.1093/botlinnean/boab060.
- KIEBACHER, T., KÖCKINGER, H. & BLOM, H. 2021. *Schistidium foraminis-martini* sp. nov. (Grimmiaceae), a high mountain calcicole from the European Alps molecularly related to *S. agassizii*. – *Bryophyte Diversity & Evolution*. 10.5167/uzh-205605.
- KIEBACHER, T. & URMI, E. 2021. *Cephaloziella aspericaulis* Jørg. with sporophytes in Central Europe. – *Arctoa* **30**(2): 213–218. 10.15298/arctoa.30.21.
- KLEESADL, G. & SCHRÖCK, C. 2021. Floristische Kurzmitteilungen 01(2021) Moose. – *Stapfia* **112**: 250–253.
- KLOTZ, J. 2021. *Lunularia cruciata* massenhaft in Pflasterfugen. – *Hoppea, Denkschr. Regensb. Bot. Ges.* **82**: 199–200.

- KOHCHI, T., YAMATO, K. T. ISHIZAKI, K., YAMAOKA, S. & NISHIHAMA, R. 2021. Development and Molecular Genetics of *Marchantia polymorpha*. – Annual Review of Plant Biology **72**(1): 677–702. 10.1146/annurev-arplant-082520-094256.
- KOLLAR, L. M., KIEL, S., JAMES, A. J., CARNLEY, C. T., SCOLA, D. N., CLARK, T. N., KHANAL, T., ROSENSTIEL, T. N., GALL, E. T., GRIESHOP, K. & MC DANIEL, S. F. 2021. The genetic architecture of sexual dimorphism in the moss *Ceratodon purpureus*. – Proceedings of the Royal Society B, Biological Sciences. 10.1098/rspb.2020.2908.
- KONSTANTINOVA, N., VILNET, A., LONG, D., MAMONTOV, Y. & LOCKHART, N. 2021. An integrative approach to the study of *Moerckia* (Marchantiopsida: Moerckiaceae), with description of a new genus, *Pseudomoerckia*, and new family, Pseudomoerckiaceae. – Journal of Bryology **43**(5): 1–16. 10.1080/03736687.2021.1919832.
- KRAY, R., WEBER, L. 2021. Bericht zur Jahresexkursion der BLAM im Saastal (Schweiz) vom 9. bis 13. August 2020. – Herzogiella **8**: 6–11.
- KROPIK, M., ZECHMEISTER, H. G. & MOSER, D. 2021. Climate Variables Outstrip Deadwood Amount: Desiccation as the Main Trigger for *Buxbaumia viridis* Occurrence. – Plants **10**(1): 61. 10.3390/plants10010061.
- KROPIK, M., ZECHMEISTER, H. G. & MOSER, D. 2021. First insights into the distribution and ecology of *Tortula schimperi* in Austria. – Herzogia **34**(1): 162–172. 10.13158/heaia.34.1.2021.162.
- KROPIK, M., ZECHMEISTER, H. G., MOSER, D., BERNHARDT, K. G. & DULLINGER, S. 2021. Deadwood volumes matter in epixylic bryophyte conservation, but precipitation limits the establishment of substrate-specific communities. – Forest Ecology and Management **493**: 119285. 10.1016/j.foreco.2021.119285.
- KUNZ, G., BILOVITZ, P., BRANDNER, J., FAUSTER, R., FRIEBES, G., FRIEB, T., GORFER, B., GUNCZY, J., HOLZER, E., HUBER, E., KOMPOSCH, C., KOZINA, U., KUZMITS, L., PAILL, W., PÖRTL, M., ZANGL, L., DRESCHER, A., GEISSBERGER, M., GRÖBL, M., HEBER, G., LEONHARTSBERGER, S., OBERREITER, H., OSWALD, T., PLONER, S., SAUBERER, N., SZEMES, F., STAUDINGER, V. & BERG, C. 2021. iNaturalist: City Nature Challenge 2021: Graz und Graz-Umgebung. – Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark **151**: 101–142.
- LARA, F. & LÖNNELL, N. 2021. *Orthotrichum rogeri* Brid. in Sweden: past and present. – Journal of Bryology **43**(3): 297–300. 10.1080/03736687.2021.1963915.
- LINDE, A.-M., EKLUND, D. M., CRONBERG, N., BOWMAN, J. & LAGERCRANTZ, U. 2021. Rates and patterns of molecular evolution in bryophyte genomes, with focus on complex thalloid liverworts, Marchantiopsida. – Molecular Phylogenetics and Evolution **165**(2): 107295. 10.1016/j.ympev.2021.107295.
- LUNIĆ, T., MANDIĆ, M., OALDJE PAVLOVIĆ, M., SABOVLJEVIĆ, A., SABOVLJEVIĆ, M., NEDELJKOVIĆ, B. & BOŽIĆ, B. 2022. The Influence of Seasonality on Secondary Metabolite Profiles and Neuroprotective Activities of Moss *Hypnum cupressiforme* Extracts: In Vitro and In Silico Study. – Plants **11**(1): 123. 10.3390/plants11010123.
- MEŽAKA, A., MOISEJEVS, R. & MĀRIS N. 2021. The main drivers for the occurrence of six red-listed epiphytic bryophytes and lichens in the boreo-nemoral forest landscape, Latvia. – Folia Cryptogamica Estonica **58**. 10.12697/fce.2021.58.22.
- MIŠÍKOVÁ, K., GODOVIČOVÁ, K., SIRKA, P. & ŠOLTĚS, R. 2021. Checklist and red list of hornworts (Anthocerotophyta) and liverworts (Marchantiophyta) of Slovakia. – Biologia **76**: 2093–2103. 10.2478/s11756-020-00670-0.

- MOSSANG, P., CHIMYANG, N., SHANKAR, V., MANGANGCHA, I. & EVELIN, H. 2021. Bryophytes in Medicines. – *Journal of Bioresources* **8**(1): 1–23. 10.17605/OSF.IO/VQ2TD.
- MOSER, T., KIEBACHER, T., MEIER, M., HABASHI, C., KAHLE, D., ROLOFF, F., STEFFEN, J., STEVENSON, D. & STIX, S. 2021. Im Schatten des (J)Amann. – *Meylania* **67**(1): 21–27.
- MÜLLER, J. 2021. *Leptodontium gemmascens* – ein seltenes Laubmoos neu für Brandenburg – *Herzogia* **34**(1): 208–215. 10.13158/hea.34.1.2021.208.
- MÜLLER, R. & GLATZEL, S. 2021. *Sphagnum* farming substrate is a competitive alternative to traditional horticultural substrates for achieving desired hydro-physical properties. – *Mires and Peat* **27**(21): 1–12. 10.19189/MaP.2021.OMB.StA.2157.
- NIEUWKOOP, J. A. W. 2021. *Ricciocarpos natans* en *Riccia rhenana* op de drooggevalle bodem van de Oude Rijn in De Rijnstrangen. – *Buxbaumiella* **120**: 16–23.
- NIEUWKOOP, J. A. W. 2021. De mosflora van het Land van Maas en Waal 7. Analyse. – *Buxbaumiella* **120**: 30–54.
- NIEUWKOOP, J. A. W. 2021. De mosflora van de Hurwenensche Uiterwaarden. – *Buxbaumiella* **122**: 1–16.
- NIEUWKOOP, J. A. W. & SIEBEL, H. N. 2021. Bryologen op wintersport - excursies naar de Duitse 'Trockengebiete'. – *Buxbaumiella* **122**: 32–57.
- OSTENDORF, A. K., VAN GESSEL, N., MALKOWSKY, Y., SABOVLJEVIC, M. S., RENSING, S. A., ROTH-NEBELSICK, A. & RESKI, R. 2021. Polyploidization within the Funariaceae – a key principle behind speciation, sporophyte reduction and the high variance of spore diameters? – *Bryophyte Diversity and Evolution* **43**(1): 164–179. 10.11646/bde.43.1.13.
- OTTE, V. 2021. *Leptodon smithii* an Polens Westgrenze, ein Neufund für Polen. – *Herzogia* **34**(2): 515–518. 10.13158/hea.34.2.2021.515.
- OTTLEY, T., BLOCKEEL, L. & KUČERA, J. 2021. *Bryoerythrophyllum campylocarpum* (Müll.Hal.) H.A. Crum, a tropical and subtropical moss new to Ireland and Britain. – *Journal of Bryology*. 10.1080/03736687.2021.2006994.
- PANDEY, S. & ALAM, A. 2021. Molecular Markers (RAPD and SSR) Based Characterisation of Genetic Diversity and Population Structure of Moss *Hyophila involuta*. – *Acta Botanica Hungarica* **63**(1–2): 171–193. 10.1556/034.63.2021.1-2.10.
- PANTOVIĆ, J., VELJIĆ, M., GRDOVIĆ, S. & SABOVLJEVIĆ, M. S. 2021. An annotated list of moss species of Serbia. – *Phytotaxa* **479**(1): 207–249. 10.11646/phytotaxa.479.3.1.
- PAPADIA, P., BAROZZI, F., MIGONI, D., ROJAS, M., FANIZZI, F. & DI SANSEBASTIANO, G. 2020. Aquatic Mosses as Adaptable Bio-Filters for Heavy Metal Removal from Contaminated Water. – *International Journal of Molecular Sciences* **21**(13): 4769. 10.3390/ijms21134769.
- PATEL N., MEDINA, R., JOHNSON, M. & GOFFINET, B. 2021. Karyotypic diversity and cryptic speciation: Have we vastly underestimated moss species diversity? – *Bryophyte Diversity and Evolution* **43**(1): 150–163. 10.11646/bde.43.1.12.
- PATINO, J. & VANDERPOORTEN A. 2021. Island biography: an avenue for research in bryology. – *Bryophyte Diversity and Evolution*: **43**(1): 206–220. 10.11646/bde.43.1.15.
- PETERKA, T., ŠMERDOVÁ, E., HÁJEK, M., MIKULÁŠKOVÁ, E. & HÁJKOVÁ, P. 2021. *Drepanocladus lycopodioides* rediscovered in the Czech Republic: Abandoned quarries as refugia for endangered fen species. – *Aquatic Botany* **172**: 103380. 10.1016/j.aquabot.2021.103380.
- PETERSSON, L., NILSSON, S., HOLMSTRÖM, E., LINDBLADH, L. & FELTON, A. 2021. Forest floor bryophyte and lichen diversity in Scots pine and Norway spruce production forests. – *Forest Ecology and Management* **493**(1): 119210. 10.1016/j.foreco.2021.119210.
- PLASEK, V. 2021. Bryophytes recorded in the Radhošť National Nature Reserve (Moravskoslezské Beskydy Mts) during the survey in 2020. – *Acta Musei Silesiae, Scientiae Naturales* **70**(1): 93–96. 10.2478/cszma-2021-0008.

- PROCHÁZKOVÁ, J. & PLASEK, V. 2020. *Lewinskya affinis* var. *bohemica* – new epiphytic moss in the bryoflora of Germany. – *Acta Musei Silesiae, Scientiae Naturales* **69**(1): 89–92. 10.2478/cszma-2020-0007.
- RAVERA, S., PUGLISI, M., VIZZINI, A., ASSINI, S., BARCELLA, M., BERTA, G., BOCCARDO, F., BONINI, I., BOTTEGONI, F., CIOTTI, R., CLERICUZIO, M., COGONI, A., DAGNINO, D., AGOSTINI, A., GIUSEPPE, A., DOVANA, F., GHEZA, G., ISOCRONO, D., MAIORCA, G. & VALLESE, C. 2021. Notulae to the Italian flora of algae, bryophytes, fungi and lichens: 12. – *Italian Botanist* **12**: 49–62. 10.3897/italianbotanist.12.76124.
- RIMAC, A., ALEGRO, A., ŠEGOTA, V., KOLETIC, N. & PAPP, B. 2021. *Bryum klinggraeffii* and *Philonotis marchica* – new to bryofloras of Croatia. – *Herzogia* **34**(2): 255–266. 10.13158/heia.34.2.2021.255.
- SAWANGPROH, W. & CRONBERG, N. 2021. Evidence for interspecific hybridization in bryophytes during pre-molecular and molecular eras. – *Bryophyte Diversity and Evolution* **43**(1): 180–205. 10.11646/bde.43.1.14.
- SCHAEFER-VERWIMP, A., MAIR, P., KIEBACHER, T., PORLEY, R. & AHRENS, M. 2021. Neue und bemerkenswerte Moosfunde für Südtirol (Provinz Bozen, Italien). II. – *Gredleriana* **21**: 5–48. 10.5281/zenodo.5526606.
- SCHANZ, M., MEVE, U. & FEULNER, M. 2021. Verlängertes sommerliches Trockenfallen von Bächen gefährdet die Vorkommen der reliktsichen Moose *Tetradontium repandum*, *Geocalyx graveolens* und *Harpanthus scutatus* in Nordbayern – *Herzogia* **34**(1): 173–188. 10.13158/heia.34.1.2021.173.
- SCHNYDER, N. & JUILLERAT, L. 2021. Interessante Moosflora am trockengefallenen Lac des Brenets. – *Meylania* **67**(1): 28–31.
- SCHOTT, R. T., NEBEL, M. & ROTH-NEBELSICK, A. 2021. Comparison of the freezing behavior of two liverwort species. – *Conocephalum salebrosum* and *Marchantia polymorpha* subsp. *ruderalis*. – *Lindbergia* **44**(1). 10.25227/linbg.01135.
- ŠEGOTA, V., RIMAC, A., DRAGIČEVIĆ, S., KOLETIĆ, N. & ALEGRO, A. 2021. *Drepanium fastigiatum* and *Microhypnum sauteri* new for Croatia. – *Herzogia* **33**: 291–299. 10.13158/heia.33.2.2020.291.
- SERK, H., NILSSON, M. B., FIGUEIRA, J., WIELOCH, T. & SCHLEUCHER, J. 2021. CO₂ fertilization of *Sphagnum* peat mosses is modulated by water table level and other environmental factors. – *Plant, Cell & Environment* **44**(6): 1756–1768. 10.1111/pce.14043.
- SIMMEL, J., KARLÍK, P. & POSCHLOD, P. 2021. Land-use history affects vascular plant composition of calcareous grasslands – Does it affect cryptogam composition, too? – *Ecological Indicators* **124**(2): 107408. 10.1016/j.ecolind.2021.107408.
- SPENCE, J. R. 2021. A major new treatment to the Bryaceae of Europe. – *The Bryologist* **124**(4): 638–640. 10.1639/0007-2745-124.4.638.
- SPITALE, D. 2021. A warning call from mires of the Southern Alps (Italy): Impacts which are changing the bryophyte composition. – *Journal for Nature Conservation* **61**(2): 125994. 10.1016/j.jnc.2021.125994.
- STANKOVIC, J., JANKOVIĆ, S., LANG, I., VUJICIC, M., SABOVLJEVIĆ, M. & SABOVLJEVIĆ, A. 2021. The toxic metal stress in two mosses of different growth forms under axenic and controlled conditions. – *Botanica Serbica* **45**(1): 31–47. 10.2298/BOTSERB2101031S.
- STANTON, D. E. & COE, K. K. 2021. 500 million years of charted territory: functional ecological traits in bryophytes. – *Diversity and Evolution* **43**(1): 234–252. 10.11646/bde.43.1.17.

- STECH, M., CAMARA, P., MEDINA, R. & MUÑOZ, J. 2021. Advances and challenges in bryophyte biology after 50 years of International Association of Bryologists. – *Bryophyte Diversity and Evolution* **43**(1). 10.11646/bde.43.1.4.
- SÜNDHOFER, R., MAYRHOFER, H., WERTH, S., DRAGICEVIC, S. & BERG, C. 2021. Epiphytic bryophytes and lichens in Graz and podgorica (Austria and Montenegro). – *Herzogia* **34**(2): 299–326. 10.13158/heia.34.2.2021.299.
- TAKECHI, K., NAGASE, H., FURUYA, T., HATTORI, K., SATO, Y., MIYAJIMA, K., HIGUCHI, T., MATSUDA, R., TAKIO, S., TSUKAYA, H. & TAKANO, H. 2021. Two atypical *Angustifolia* without a plant-specific C-terminus regulate gametophore and sporophyte shapes in the moss *Physcomitrium* (*Physcomitrella*) *patens*. – *The Plant Journal* **105**(5): 1390–1399. 10.1111/tpj.15121.
- THIELEN, S., GALL, C., EBNER, M., NEBEL, M., SCHOLTEN, T. & SEITZ, S. 2021. Water's path from moss to soil: A multi-methodological study on water absorption and evaporation of soil-moss combinations. – *Journal of Hydrology and Hydromechanics* **69**: 421–435. 10.2478/johh-2021-0021.
- VAN DORT, K. W. & HORSTHUIS, M. A. P. 2021. Ongenerfd hunebedmos (*Andreaea rupestris*) in Gelderland. – *Buxbaumiella* **122**: 25–29.
- VELLAK, K., EHRlich, L., LEIS, M., KUPPER, T., KANNUKENE, L. & INGERPUU, N. 2021. Additions to the Estonian Bryoflora 2019-2021: Liverworts and Mosses. – *Folia Cryptogamica Estonica* **58**: 93–97. 10.12697/fce.2021.58.12.
- VELLAK, K., SAMSON, T., RIKKA, M. & INGERPUU, N. 2021. Above- and below-ground species richness of bryophytes in Estonian mires: diversity and differences. – *Journal of Bryology* **43**(3): 224–233. 10.1080/03736687.2021.1933324.
- VIEILLE, B., ALBERT, I., LEBLOND, S., COUVIDAT, F., PARENT, É. & MEYER, C. 2021. Are *Grimmia* Mosses Good Biomonitoring for Urban Atmospheric Metallic Pollution? Preliminary Evidence from a French Case Study on Cadmium. – *Atmosphere* **12**(4): 491. 10.3390/atmos12040491.
- VITT, D. H. & HOUSE, M. 2021. Bryophytes as key indicators of ecosystem function and structure of northern peatlands. – *Diversity and Evolution* **43**(1): 253–264. 10.11646/bde.43.1.18.
- WAESCH, G., BÜLTMANN, H. & FISCHER, P. 2021. Hundekot als Moosstandort – *Tetraplodon mnioides* (Hedw.) Bruch & Schimp. im Landkreis Lüneburg (NO-Niedersachsen) – *Herzogiella* **8**: 55–59.
- WAGNER-AHLFS, C., DOLNIK, C., FRIELINGS DORF, M., GRUN, M. & NEUMANN, P. 2021. Mooskartierung der Insel Sylt (Nord) vom 17.-20.09.2020. – *Herzogiella* **8**: 47–54.
- WALTJE, H., BRUINSMA, B. & SOLLMAN, P. 2021. *Scleropodium touretii* (kalkladder mos), een nieuw bladmos voor Nederland. – *Buxbaumiella* **121**: 34–35.
- WICAKSONO, W., CERNAVA, T., BERG, C. & BERG, G. 2021. Bog ecosystems as a playground for plant-microbe coevolution: bryophytes and vascular plants harbour functionally adapted bacteria. – *Microbiome* **170**(1). 10.1186/s40168-021-01117-7.
- WOLSKI, G., NOUR-EL-DEEN, S., CIENKOWSKA, A., BOŻYK, D. & EL-SAADAWI, W. 2021. The Genus *Plagiothecium* Schimp. (Plagiotheciaceae, Bryophyta) in Eurasia: An Annotated Checklist with Distribution and Ecological Data. – *Plants* **10**(5): 868. 10.3390/plants10050868.
- ZÁLESKÁ, T., HOLÁ, E., KUCERA, J., GRILL, S., ŠMILAUER, P. & ŠTECHOVÁ, T. 2021. Mowing and disturbance increase survival rates of three rare moss species of fen meadows. – *Folia Geobotanica*. 10.1007/s12224-021-09398-4.
- ZECHMEISTER, H. G. & KROPIK, M. 2021. Raritäten aus der Xerothermflora Ost-Österreichs: Wiederfunde von vier in Österreich verschollenen Moosarten. – *Herzogia* **34**(1): 189–196. 10.13158/heia.34.1.2021.189.
- ZECHMEISTER, H. G. & KROPIK, M. 2021. Die Moose des Nationalparks Thayatal. – *Naturkundliche Mitteilungen aus den Landessammlungen Niederösterreich* **31**: 57–80.

ZÜNDORF, H.-J.: Bryophyta selecta ex Herbario Haussknecht, Nos. 251–300, Duplicates of bryophytes from the historical collections of the Herbarium Haussknecht, University of Jena (JE). – *Haussknechtia* **15**: 149–154.

ZÜNDORF, H.-J.: Bryophyta selecta ex Herbario Haussknecht, Nos. 301–350, Duplicates of bryophytes from the historical collections of the Herbarium Haussknecht, University of Jena (JE). – *Haussknechtia* **15**: 155–161.

STEFAN GEY
Westendstr. 30
D-83527 Haag i. OB
E-Mail: tayloria@my.mail.de

JOHANN PETER GRUBER
Gruberfeldweg 22
A-5322 Hof bei Salzburg, Österreich
E-Mail: jp.gruber@gmx.at